

DESIGN IN-DUS-TRONIC tools are more streamlined, with slender jaws and fine points, to reach into the tight spots and perform the specific work required of the electronics tech-

TEST AND INSPECTION Individually tested for hardness, each tool must maintain highest standards for handle strength and cutting ability. To assure perfect jaw alignment, pliers must cleanly cut single bond paper strips and snip cotton-covered lamp cord without fraying. Each tool is guaranteed against defects in workman-ship and materials.

WORKMANSHIP IN-DUS-TRONIC tools are hot drop-forged from special analysis alloy steel, machined and finished with the same care and precision which have made world-famous BOKER TREE BRAND Fine Cutlery and surgical instruments for over a century. Individually fitted and adjusted, each is accurately heat-treated by HYDRIZING, which minimizes "carburization" and "decarb". Cutting blades are precision-hardened with electronic controls, and honed by hand for keen edges that retain their sharpness.


Individually Boxed

BOKER CO., INC. NEW & YORK, N. Υ.

RADIO AND TV NOSE **CUTTING PLIERS**

Reaches into tight spots to cut small wires, and to grip at the tips.

NO.	LIST EA.
539-4½"	3.75
539-6"	3.75
939-4½"	3.75
939-6"	3.75



TRANSVERSE END **CUTTING PLIERS**

For clean, flush cutting of small wires where ordinary cutters are too bulky,


NO.	LIST EA
532-6" 932-6"	3.65
932-0	3.65



SIDE TIP NOSE **CUTTING PLIERS**

Cuts flush at left side of tips. Turn tool over to cut flush at right side.

NO.	LIST EA
S539-4½" S539-5" S939-4½" S939-6"	4.00 4.00 3.80 4.00



SHORT JAW, LONG HANDLE NOSE CUTTING PLIERS

Extra long, narrow handles provide maximum reach of the slender jaws to cut and grip.

NO.	LIST EA.	NO.	LIST EA.		
579-8" 979-8"	4.15 4.15	679-8" 779-8"	4.45 4.65		

STOCK NUMBER CODE IDENTIFICATION ON PLIERS

First Digit in Pliers Stock No.

"5" "9" "6"

DESCRIPTION OF FINISH

Polished Head, Standard Gunmetal Finish Handles — i.e.

Polished Head, Factory molded Red Cushion Grip Plastisol Handles — i.e.

Fully Nickel and Chrome Plated Head and Handles — i.e.

Nickel and Chrome Plated Head, Factory molded Red Cushion Grip Plastisol Handles — i.e.

SHORT CHAIN **NEEDLE NOSE PLIERS**

Sturdy, tapered jaws provide more positive grip. Checker-milled tips.

	WITH SIDE	CUTTERS	
NO.	LIST EA.	NO.	LIST EA.
53-5"	3.15	63-5"	3.45
93-5"	3.15	73-5"	3.65
	WITHOUT SID	E CUTTERS	•
NO.	LIST EA.	NO.	LIST EA.
530-5"	2.65	630-5"	2.95
930-5"	2.65	730-5"	3.15

DIAGONAL **CUTTING PLIERS**

NO.

51-4½" 91-4½" 51-5" 91-5"

51-51/2' 91-51/2'

51-6" 91-6"

51-71/2' 91-71/2'

:S		
IST EA.	NO.	LIST EA.
2.80	61-4½"	3.10
2.80	71-4½"	3.30
3.05	61-5"	3.35
3.05	71-5"	3.55
3.30	61-5½"	3.60
3.30	71-5½"	3.80
3.45	61-6"	3.75
3.45	71-6"	3.95
3.80	61-7½"	4.10
3.80	71-7½"	4.30

LONG CHAIN NEEDLE NOSE PLIERS

Slender, checker-milled jaws taper to 1/32" at tips.

732 44 61			
	WITH SIDE	CUTTERS	
NO.	LIST EA.	NO.	LIST EA.
53-6"	3.40	63-6"	3.70
93-6″	3.40	73-6"	3.90
	WITHOUT SID	E CUTTERS	
NO.	LIST EA.	NO.	LIST EA.
530-6"	2.70	630-6"	3.00
930-6"	2.70	730-6"	3.20

WIRE STRIPPING CUTTERS WITH INSULATION CRUSHER

LIS

"W" notches slit acetate cellulose and other thin insulations. Notch in blades strips heavier insulation. Grooves in handles

ush	insulation.	
	NO.	LIST EA.
5	17-51/2"	4.00
91	17-51/2"	4.00
61	17-51/2"	4.30
71	7-51/2"	4.50



EXTRA LONG CHAIN NOSE PLIERS


234" long jaws add extra reach to checker-milled tips.

HEAVY DUTY

0	checker-	milled		·
	•			
		WITH SIDE	CUTTERS	
5	NO. i3-7" i3-7"	LIST EA. 4.20 4.20	NO. 63-7" 73-7"	LIST EA. 4.50 4.70
		WITHOUT SIDI	E CUTTERS	
5	NO. 30-7" 30-7"	3.10 3.10	NO. 630-7" 730-7"	LIST EA. 3.40 3.60

Plastisol inserts back of the blades tightly grip the cut-off end of wire after cut is made, preventing shorts, machine failures, and eye injuries.

NO. TH51-4½" TH91-4½" 4.40 4.40



DIAGONAL **CUTTING PLIERS**

	-40(0)		NATIONAL PROPERTY OF THE PARTY
NO. 591-7" 991-7"	LIST EA. 3.50 3.50	NO. 691-7" 791-7"	LIST EA. 3.80 4.00

SPECIAL THROAT-HOLD TYPE PLIERS


"THROAT-HOLD" DIAGONAL PLIERS


OI LOIME	IIIKOAI-
NO.	LIST EA.
THB981-41/2"	5.20
THC981-41/2"	5.00

Bent (offset) Handles Flush cutting edges



JEWELERS' 41/2" PRECISION PLIERS









				METAL HANDLES CUSHION-GRIP HANDLES			CHROME PLATED		CUSHION-GRIP HANDLES	
	1	ool No.	List Ea.	Tool No.	List Ea.	Tool No.	List Ea.	Tool No.	List Ea.	
*N *FI	gonal Cutting Pliers I Cutting Nippers sedle Nose Pliers at Nose Pliers und Nose Pliers	581 582 583 584 585	3.10 3.60 2.90 2.90 2.90	981 982 983 984 985	3.20 3.80 3.10 3.10 3.10	681 682 683 684 685	3.30 3.90 3.20 3.20 3.20	781 782 783 784 785	3.35 3.95 3.35 3.35 3.35	
*No	ite: Inside jaws are smooth. Supplied w	ith mi	lled jaws at no extra	a cost.						

PRECISION PLIERS WITH SPRING IN EXTENDED HANDLES Midget jaws, extra long handles, to reach into deep areas normally inaccessible. LIST EA. NO. DESCRIPTION DESCRIPTION Extra Fine Needle-Nose P!iers (as 903-44/2") Diagonal Cutters Needle Nose Pliers Flat-Nose Pliers Diagonal Cutters Needle-Nose Pliers Flat-Nose Pliers Flat-Nose Pliers Flat-Nose Pliers Extra Fine Needle-Nose Pliers (as 703-44/2") L903S-8" 5,95 L981S-8" 6.05 5.95 5.95 6.20 6.20 6.20 6.20 L983S-8" L984S-8" L781S-8" L783S-8" L784S-8" L703S-8"

TAPERED JAWS, FLUSH CUTTING DIAGONALS

Midget pliers with sharply tapered jaws and very fine flush cutting edges.

NO. LIST EA. A981-41/2' 3.70



STANDARD SHAPE JAWS, FLUSH CUTTING DIAGONALS


NO. LIST EA. C981-41/2" 3.40

SHORT NOSE, FLUSH CUTTING DIAGONALS

NO. LIST EA. E981-41/2"

STO	CK NUMBER CODE IDENTIFICATION ON PLIERS
First Digit in Pliers Stock No.	DESCRIPTION OF FINISH
"5" "9" "6" "7"	Polished Head, Standard Gunmetal Finish Handles — i.e. 51-6" Polished Head, Factory molded Red Cushion Grip Plastisol Handles — i.e. 91-6" Fully Nickel and Chrome Plated Head and Handles — i.e. 61-6" Nickel and Chrome Plated Head, Factory molded Red Cushion Grip Plastisol Handles — i.e. 71-6"


EXTRA FINE NEEDLE NOSE PLIERS WITH STABILIZED TIPS Dowel pin in jaw engages hole in other jaw when closed, sta-bilizing tips and maintaining per fect alignment. NO. ST903-6' LIST EA. 3.50 NO. ST703-6" LIST EA. CURVED EXTRA FINE NEEDLE NOSE NO. LIST EA. 508-6" 908-6" 603-6"



3.40 3.60

LONG NEEDLE NOSE PLIERS Unusual gripping ability without distortion for such long, slender jaws. Checker-milled at tips. LIST EA. LIST EA. No. No. 533-6' 933-6' 633-6" 733-6" 3.15 3.15 3.45 3.65 **CURVED NEEDLE NOSE PLIERS**





LIST EA. 3.10 3.10


Long, very slim, spring tempered jaws for assembling miniature

NO. 503-6" 903-6"

jaws parts.

PLIERS WITH SPRING IN HANDLES


Bauer type coil spring keeps pliers in open position, ready-to-



Specify "S" as a Suffix to tool number (i.e., 91S-5")
Additional List Ea. .30

HOLDING FORCEPS

Slender, long-reaching, with ratchet type lock. Acts as third hand, and as heat sink. Box joint, polished stainless spring steel.





LIST EA. 4.50 4.35 5.00

Straight pattern Straight pattern Curved pattern

ELECTRONIC SNIPS

Pointed, serrated blades cut wire, filament, sheet metal, insulating materials, plas-tics, fabrics. spring keeps blades open, ready-to-work.





NO. P4-71/8" P4E-61/9"" LIST EA. 3.60 4.25

Long Blades Short Blades

ELECTRICIANS' SNIPS

Scraper, file on back of blade.

NO. 709-5"

LIST EA. Nickel Plated



SHORT JAW, LONG HANDLE, NEEDLE NOSE PLIERS



NO. LIST EA. 573-8" 973-8" 3.20 3.20

LIST EA. NO. 673-8" 773-8" 3.50 3.70

SHORT JAW, LONG HANDLE DUCKBILL PLIERS LIST EA. No.

No. 574-8"

3.15

LIST EA. 3.15

ELECTRICIANS' SIDE CUTTING **PLIERS**



NO.	LIST EA.	NO.	LIST EA.
92-6"	3.25	62-7"	3.90
92-7"	3.65	62-8"	4.25
92-8"	4.00	72-7"	4.10

LEATHER TOOL **HOLSTER**

Five pockets of pliable form-fitting Russet leather. Stitched with 7-cord linen hot waxed thread, locked to solid leather back with steel rivets. Handy tape holder is of leather, not chain, an extra safety insulation feature.


NO 99

LIST EA. 4.95





MIDGET "GROOVE-GRIP" PLIERS




NO. 6517-5" P6517-5"

2.25 2.35

Nickel, Chrome Plated Nickel, Chrome Plated, Cushion Grips

"GROOVE-GRIP" 5-ADJUSTMENT **PLIERS**



COMBINATION SLIP-JOINT PLIERS



NO. 6041-6½" 6041-8" 6041-10"

LIST EA. 1.40 1.80 2.60

Nickel and Chrome Plated

THIN NOSE COMBINATION PLIERS



LIST EA. 1.60

Nickel, Chromed

BENT THIN NOSE COMBINATION PLIERS



NO. 6043-61/2"

LIST EA.

Nickel, Chromed

PROFESSIONAL SLIP-JOINT SIDE CUTTERS

Flat, serrated nose for grip-ping. Curved inner section to grip round shapes. Keen-cutting knives.



6395-71/2".

3.75

Nickel, Chromed

THIN, ALLOY STEEL ADJUSTABLE WRENCHES



Polished Head, Gunmetal Handles Nickel and Chrome Plated NO. 6W-4" 6W-6"' 6W-8" 6W-10" 6W-12" 6W-18" NO. 5W-4" 5W-6" 5W-8" 5W-10" 2.10 2.10 LIST EA. 2.52 3.12 4.70 7.36 10.95 3.95 5.75 8.75 14.50 5W-18" Nickel, Chrome-Plated, Cushion-Grip Handles LIST EA. NO. LIST EA. NO. P6W-10"

P6W-4" P6W-6" P6W-8" P6W-12" P6W-15"

BOKER & CO. New York,



DESIGN IN-DUS-TRONIC tools are more streamlined, with slender jaws and fine points, to reach into the tight spots and perform the specific work required of the electronics technician.

TEST AND INSPECTION Individually tested for hardness, each tool must maintain highest standards for handle strength and cutting ability. To assure perfect jaw alignment, pliers must cleanly cut single bond paper strips and snip cotton-covered lamp cord without fraying. Each tool is guaranteed against defects in workmanship and materials.

WORKMANSHIP IN-DUS-TRONIC tools are hot drop-forged from special analysis alloy steel, machined and finished with the same care and precision which have made world-famous BOKER TREE BRAND Fine Cutlery and surgical instruments for over a century. Individually fitted and adjusted, each is accurately heat-treated by HYDRIZING, which minimizes "carburization" and "decarb". Cutting blades are precision-hardened with electronic controls, and honed by hand for keen edges that retain their sharnness. hand for keen edges that retain their sharpness.

Individually Boxed

BOKER & CO., INC. NEW YORK, Ν. Υ.

EXTRA FINE FLAT NOSE PLIERS

Flat, very thin, smooth jaws, spring tempered.




NO.	LIST EA.	NO.	LIST EA
504-6"	3.60	604-6"	3.90
904-6"	3.60	704-6"	4.00

WITH STABILIZED TIPS

NO.	LIST EA.	NO.	LIST EA.
ST504-6"	4.00	ST604-6"	4.30
ST904-6"	4.00	ST704-6"	4.40

NEEDLE POINT DIAGONAL CUTTING PLIERS

Narrow, pointed nose, semi-flush edges, for close cutting. Lightweight, easyto-use, in electronics and light assembly. Coil spring keeps jaws open.



NO.	LIST EA.	NO.	LIST EA.
513-51/2"	4. 2 5	613-51/2"	4.55
913-51/2"	4.25	713-51/2"	4.75

THIN, NARROW, POINTED DIAGONAL CUTTING PLIERS

Jaws relief-ground back of blades, to cut in confined areas. Also used for removal of I. F. Cans.



NO.	LIST EA.	NO.	LIST EA.
RA51-51/2"	4.50	RA61-51/2"	4.80
RA91-51/2"	4.50	RA71-51/2"	4.90

WIRE JACK POCKET KNIFE

Rugged construction, unbreakable spring. Chrome Vanadium steel blade.

> NO. LIST EA. 75-33/4" 1.00



ELECTRICIANS' UTILITY KNIFE

One blade and one self-locking Screwdriver and Insulation Scraper.



3¾" long



ELECTRONIC DIAGONAL END NIPPERS

Flush-cutting blades, with extremely fine points, set at 22.5° angle. For very fine subminiature work.



NO.	LIST EA.	NO.	LIST EA.
XA582-41/2"	6.00	XA682-41/2"	6.30
XA982-41/2"	6.00	XA782-41/2"	6.50

THIN HEAD, FLUSH CUTTING MIDGET DIAGONALS

Head is ground thinner, narrower. Flush edges.



NO.	LIST EA.	
XA981-41/2"	4.00	Pointed jaws
XC981-41/2"	3.70	Standard shape jaws, slightly shortened

BENT EXTRA FINE NEEDLE NOSE PLIERS



NO.	LIST EA.	NO.	LIST EA.
B508-6"	3.90	B608-6"	4.20
B908-6"	3.90	B708-6"	4.40

WITH STABILIZED TIPS

NO.	LIST EA.	NO.	LIST EA.
STB508-6"	4.30	STB608-6"	4.60
STB908-6"	4.30	STB708-6"	4.80

CO., INC. & New York, BOKER